



HARO

Naturally beautiful flooring

150 YEARS OF EXCELLENCE


www.haro.co.nz

WOOD PROCESSING HAS A LONG TRADITION WITH US

For more than 150 years, the HARO family business has been active in wood processing at the namesake Rosenheim location in Upper Bavaria – HAmberger ROsenheim.

Our love of wood as a natural product and our high-quality standards combined with modern design has made us a leading flooring supplier to the global market, particularly well renowned for our premium parquetry.

We proudly share this exceptional flooring product with discerning New Zealand consumers.





QUEENSTOWN HILL HOUSE
538 967 PLANK 1-STRIP PLAZA 240 4V
OAK TOBACCO GREY UNIVERSAL ALPINE BRUSHED



OAMARU HOME
540 155 PLANK 1-STRIP PRESTIGE
OAK INVISIBLE MARKANT BRUSHED



WHY CHOOSE HARO FLOORING

- Made with precision engineering in Germany
- Sustainably harvested from certified European forests
- Precise wear layer saving precious wood per square metre of flooring
- Environmentally certified and formaldehyde-free
- Imported directly from HARO in Bavaria, Germany to New Zealand
- Significantly more stable than solid timber floors
- Totally pre-finished – ready to walk on immediately
- Fully warranted underfloor heating systems (up to 29°C)
- Locking system on all four sides for very easy installation and exceptional stability
- 30-year Warranty on all parquetry
- Matching Stair Nosings and Skirting boards for all floors



SYDNEY HOME
540 181 PLANK 1-STRIP PRESTIGE
AFRICAN OAK MARKANT BRUSHED

ENGINEERED TIMBER FLOORING CONSTRUCTION



MACKENZIE COUNTRY HOUSE
533 499 PLANK 1-STRIP PLAZA 240 4V
SMOKED OAK UNIVERSAL ALPINE BRUSHED



Precious Wood wear layer

3.5 mm thick top layer of selected precious wood. This is the top layer of a multilayer hardwood floor. It consists of a carefully selected premium timber that has been well-seasoned and dried and gently processed. Rely on our decades of experience in the production of Timber Flooring and enjoy the good feeling that you made the best choice.

Middle layer

Solid spruce finger strips as middle layer. The cross-glued solid spruce finger strips ensure the lifelong stability of HARO Engineered Timber Flooring. Though invisible from the outside, this layer is very labour and time-intensive to manufacture. We use only spruce of the same timber moisture content and the same orientation of annual rings. This is essential to guarantee that your hardwood flooring will remain stable. The task of the middle layer is to balance tensions in the top layer and thus guarantee maximum dimensional stability.

Bottom layer or backing

Softwood backing veneer. A backing veneer made of softwood further increases the floor's stability.



SUSTAINABILITY IN ACTION

The more than 150-year history of our family-owned company is characterised by sustainable thinking and action. We are aware of the responsibility and take it with pleasure and commitment.

- We only use wood from our own and certified European forests. This ensures that no more wood is taken from the environment than is able to grow back.
- Through optimal raw material exploitation and state-of-the-art production technologies, we have been using all wood waste generated during production since 1971 to generate environmentally friendly green electricity that is filtered back into the plant.
- Thanks also to our biomass power plants and our hydroelectric power plant, with which we harness the power of the Sims River running through the facility, we generate all electricity required for production, and additionally supply 8,000 surrounding households.



LONDON HOUSE
541 933 LONGSTRIP
OAK TOBACCO GREY TREND BRUSHED



Naturally healthy for the home

Floors from HARO are not only beautiful to look at and touch, but they are also free of any harmful substances including formaldehyde. For this, we have been awarded with the «Blue Angel» seal of quality - the ecolabel of the German Federal Government for more than 40 years. HARO floors are made to contribute to a high level of healthy living and a good feeling of well-being.

Guaranteed high quality

HARO knows what it takes to produce naturally beautiful, high-quality floors and we implement this knowledge with care - in every single plank, down to the last detail. To back this up, we offer a 30-year manufacturer's warranty for our entire engineered flooring range.

Proudly Made in Germany

As Germany's leading parquet flooring manufacturer, HARO combines traditional German high-quality craftsmanship with the most advanced new technology in Rosenheim. This is how we produce floor coverings of the highest quality.



NEW ZERMATT LODGE
530 793 PLANK 1-STRIP 180 4V
OAK SAUVAGE RETRO BRUSHED



HIRT IN CARINTHIA OFFICE
541 958 PLANK 1-STRIP 180 2V
SMOKED OAK SAUVAGE BRUSHED



SURFACE FINISH

HARO PARQUET 4000, Plank 1-Strip Plaza 240, Plank 1-Strip 180, Plank 1-Strip 140, Longstrip can optionally be provided with one of the following surface refinements:

permaDur
— VERSIEGELUNG —

Character: Hard-wearing finish.

Ingredients: Performance-optimised acrylic resin.

How it works: High-grade, UV-cured acrylic resins coat the wood with a 40-50 µm thick protective varnish, making the parquet surface resistant to abrasion, scratches and stains.

naturaDur
— MATTES OBERFLÄCHENFINISH —

Character: Natural matt surface finish with the best possible protection.

Ingredients: High-quality acrylic resins combined with ingredients on a natural basis.

How it works: NaturaDur surface treatment combines the natural look of oiled parquet with the protection and easy care of a prefinished surface.

naturaLin^{plus}
— NATURÖL-OBERFLÄCHE —

Character: Natural oil surface that allows the wood to breathe.

Ingredients: Ingredients based on renewable raw materials.

How it works: The floor care oil is based on natural ingredients. It penetrates deep into the pores of the wood and protects the parquet floor from dirt and from drying out. The wood can breathe and retains its natural look and feel.





536 974 PLANK 1-STRIP PLAZA 240
OAK MARKANT



539 089 PLANK 1-STRIP 180
OAK REED BROWN SAUVAGE

HARO'S PATTERNED LOCK CONNECT

One of the many benefits of HARO and their German precision manufacturing technology is the way the system was designed to lock together on all four sides of the plank. Where traditional timber flooring is tongue and groove and prone to cupping and splitting over time, this technology means that when the flooring contracts and expands in different temperatures and levels of moisture, it doesn't separate or split because it has added strength being locked together on four sides of each plank.



**DID YOU
KNOW?**

Timber Flooring regulates the indoor climate and creates a healthy living environment. Therefore, a room can absorb and release up to 20 litres of moisture from the air.





535 448 PLANK 1-STRIP 180
OAK SAUVAGE BRUSHED

PLANK 1-STRIP 180




Dimensions:

Wide - 180mm


Long - 2200mm

Thick - 13.5mm


Premium 180mm wide board parquet flooring. This product carries a 30-year warranty and is warranted for all underfloor heating systems up to 29°C. Our innovative three-layer construction sets them apart from other timber floors, with a 3.5mm top layer of hand-graded premium wood, solid spruce finger mid-layer, for maximum stability, and a soft wood backing.



541 856
Oak Light White Markant
Brushed 2V ND



541 857
Oak Light White Sauvage
Brushed 2V N+



535 446
Oak Invisible Sauvage
Brushed 2V ND



531 679
Oak Puro White Exclusive
Brushed 4V N+



535 445
Oak Invisible Markant
Brushed 2V ND



524 680
Oak Exklusiv




535 447
Oak Markant
Brushed 2V ND



535 448
Oak Sauvage
Brushed 2V ND




535 465
Smoked Oak Markant
Brushed 2V ND




535 449
Oak Sand Grey Markant
Brushed 2V ND




538 940
Fumed Oak Puro White
Sauvage Brushed 4V N+




538 941
Fumed Oak Invisible
Sauvage brushed 4V N+




538 946
Oak Shell Grey Markant
Brushed 4V N+



539 088
Oak Red Brown Markant
Brushed 4V N+



528 674
African Oak
Brushed N+



529 066
Carbon Black
Selectiv Ole





BOLZANO FAMILY HOME
539 088 PLANK 1-STRIP 180 4V
OAK REED BROWN MARKANT BRUSHED



536 546 PLANK 1-STRIP PLAZA 240
OAK MARKANT BRUSHED

PLANK 1-STRIP PLAZA 240




Dimensions:

Wide - 240mm

Long - 2200mm

Thick - 13.5mm

Premium 240mm extra wide board parquet flooring. This product carries a 30-year warranty and is warranted for all underfloor heating systems up to 29°C. Their innovative three-layer construction sets them apart from other timber floors, with a 3.5mm top layer of hand-graded premium wood, solid spruce finger mid-layer, for maximum stability, and a soft wood backing.



541 854
Oak Light White Markant
Brushed 4V ND



541 430
Oak Invisible Markant
Brushed 4V ND



541 432
Oak Puro White Markant
Brushed 4V ND



541 182
Oak Sand Grey Markant
Brushed 4V ND



536 546
Oak Markant
Brushed 4V ND




540 234
Oak Sauvage
Brushed 4V ND




541 437
Smoked Oak Markant
Brushed 4V ND



541 442
Fumed Oak
Invisible N+



540 232
Fumed Oak Universal
Brushed 4V N+



533 499
Smoked Oak Universal Alpine
Brushed 4V N+



538 697
Oak Tobacco Grey Universal
Brushed 4V N+





KAMIN HOTEL LOUNGE
541 860 PLANK 1-STRIP 180 4V
OAK LIGHT WHITE SAUVAGE BRUSHED



LONDON COTTAGE
541 859 PLANK 1-STRIP 180 4V
OAK LIGHT WHITE MARKANT BRUSHED



541 929 LONGSTRIP 180
SMOKED OAK NATURALE

HARO 4000 LONGSTRIP



Dimensions:

Wide - 180mm

Long - 2200mm

Thick - 13.5mm

Longstrip 180mm extra wide board parquet flooring. This product carries a 30-year warranty and is warranted for all underfloor heating systems up to 29°C. Their innovative three-layer construction sets them apart from other timber floors, with a 3.5mm top layer of hand-graded premium wood, solid spruce finger mid-layer, for maximum stability, and a soft wood backing.



541 851
Oak Light White Naturale
Brushed ND



541 931
Oak Naturale pD



541 929
Smoked Oak Naturale
Brushed ND



541 933
Oak Tobacco Grey Trend
Brushed N+





PLANK 1-STRIP PRESTIGE



Dimensions:

Wide - 120mm

Long - 1000mm

Thick - 10mm

Premium 120mm wide, 1000mm long short board parquet flooring designed for herringbone or chevron installations. This product carries a 30-year warranty and is warranted for all underfloor heating systems up to 29°C. Their innovative three-layer construction sets them apart from other timber floors, with a 3.5mm top layer of hand-graded premium wood, solid spruce finger mid-layer, for maximum stability, and a soft wood backing.




536 374
Oak Invisible
Markant brushed



540 151
Oak Light White
Markant brushed



540 158
Oak Sand Grey Markant
brushed



540 181
African Oak
Markant brushed



SHEIDER BOARD ROOM
541 438 PLANK 1-STRIP PLAZA 240 4V
SMOKED OAK MARKANT BRUSHED

LET EXPERTISE TAKE THE FLOOR

We are here to answer any questions you may have about HARO and our floors.

Ask us for a free quote, floor samples, catalogues or advice from our experts.

- Quote in 24h
- Samples overnight
- New Zealand range in stock
- 12 weeks indent order
- 3 weeks for stair noses
- Install assistance nation wide

✉ sales@haro.co.nz

☎ 0800 427 669

🌐 www.haro.co.nz



