

HARO

AUSTRALIA

THE COMPLETE SYSTEM

Accessories.

Underlay, skirting, stairs, profiles, adhesive and care — the details that finish a HARO floor properly.

2024-25 COLLECTION

WHY ACCESSORIES MATTER

A floor is a system, not a surface.

The board you see is only part of the specification. What sits beneath it, how it meets the wall, how it climbs a stair and how it is cleaned decide how the floor sounds, lasts and looks in five years.

HARO engineers its accessories with its floors — underlays matched to Top Connect, skirtings and stair nosings matched to every décor, and adhesives and care products formulated for HARO surfaces.

Specifying the full system keeps one warranty, one supplier and one standard behind the whole floor.

MADE IN
GERMANY

SYSTEM-
MATCHED

DÉCOR-
MATCHED

ONE
WARRANTY



Underlay & adhesive.

01 SILENT ECO DS UNDERLAY

Impact sound reduction 18 dB (± 2) · integrated vapour barrier (SD ≈ 75 m) · fire class B_{fl}-s1 · 8.5 × 1.0 m rolls.

02 UNDERFLOOR HEATING

Thermal resistance just 0.010 m²K/W — suitable over hydronic underfloor heating.

03 HARO FLEXIBLE GLUE

Elastic, solvent-free, low-emission adhesive (articles 410563 / 410565) for full-surface bonding — the quietest, most stable installation.

04 MOISTURE MANAGEMENT

Integrated vapour barriers protect against subfloor moisture; site conditions per installation guide.

05 TECHNICAL DOCUMENTS

Underlay data, adhesive technical information and SDS are all downloadable at haroflooring.com.au.

06 INSTALLATION GUIDANCE

Floating and glue-down installation guides for every HARO range.



Skirting, stairs & profiles.

01 SKIRTING BOARDS

Several heights and profiles, finished to match your floor's décor exactly — clip or adhesive mounting.

02 STAIR SYSTEMS & NOSING

Tread, riser and nosing components matched to your floor, for safe, seamless stairs in the same timber.

03 TRANSITION PROFILES

Transition, reducer, end and expansion profiles in anodised aluminium or colour-matched finishes.

04 EXPANSION MANAGEMENT


Profiles engineered for correct expansion clearances across doorways and large areas.

05 CLEAN & CARE PRODUCTS

HARO's care range for sealed, naturaDur, oiled and laminate surfaces — the products the warranty expects.

06 DÉCOR MATCHING

Accessories are ordered against your floor's article number for an exact décor match.



TECHNICAL DATA

The detail beneath the beauty.

UNDERLAY – SILENT ECO DS

Impact sound $-18\text{ dB} (\pm 2, \text{DIN } 140-8)$ · room noise reduced up to 30%

UNDERLAY – MOISTURE

Integrated vapour barrier, diffusion resistance $SD \approx 75\text{ m}$

UNDERLAY – UFH & FIRE

Thermal resistance $0.010\text{ m}^2\text{K/W}$ · reaction to fire $B_{fl}-s1 \approx 1.6\text{ kg/m}^2$

ADHESIVE

HARO Flexible Glue 410563 / 410565 — elastic, solvent-free, low-emission (SDS available)

SKIRTING

Multiple profiles · décor-matched · clip or adhesive mounting

STAIRS

Tread, riser and nosing systems · décor-matched

PROFILES

Transition · reducer · end · expansion — anodised or colour-matched

CARE PRODUCTS

Surface-specific: sealed / naturaDur / oiled / laminate

DOCUMENTATION

TDS, SDS and installation guides downloadable at haroflooring.com.au

Underlay values per Hamberger Silent Eco DS technical data. Accessory availability and décor matching confirmed at order against your floor's article number.

HARO

Every detail, one standard.

ENQUIRIES

sales@haroflooring.com.au

PHONE

+61 473 011 887

ONLINE

haroflooring.com.au



MADE IN GERMANY SYSTEM-MATCHED DÉCOR-MATCHED ONE WARRANTY

HARO Flooring Australia — exclusive Australian distributor of HARO, made by Hamberger Flooring GmbH & Co. KG, Rosenheim, Germany.
Samples, technical documentation and specification support available on request. Colours are indicative; confirm with physical samples. 2024-25
Collection · Issue 2026.07 · © 2026 HARO Flooring Australia.