



HARO

AUSTRALIA

SPECIFICATION GUIDE · DOCUMENTATION & COMPLIANCE

Architects & Specifiers.

Everything needed to specify HARO with confidence — documentation, compliance data, NATSPEC guidance and article-level support from the Australian team.

HARO FLOORING AUSTRALIA

SPECIFYING HARO

German documentation. Australian support.

HARO is made by Hamberger Flooring in Rosenheim — Germany's leading parquet manufacturer — and arrives in Australia with the most complete documentation set in the category.

Every product is supported by a technical data sheet, a CE Declaration of Performance, Environmental Product Declarations, PEFC and Blue Angel certification, and Australian fire test data for the 4000 Series.

Specification is article-number precise: send us your schedule and we return the exact data sheets, samples and current availability — typically same day.

Our team supports NATSPEC-aligned specifications, tender substitution defence and site-specific questions from subfloor to skirting.

MADE IN GERMANY 100% PEFC BLUE ANGEL 150 YEARS



Every claim, evidenced.

01 TECHNICAL DATA SHEETS

Range-level TDS (EN 13489 / EN 13329) plus article-specific specification sheets for every live product – dimensions, construction, tolerances, performance.

02 DECLARATIONS OF PERFORMANCE

CE DoPs for 3-layer and 2-layer parquet, laminate, Multivo and Parkettmanufaktur formats.

03 ENVIRONMENTAL PRODUCT DECLARATIONS

EPDs for 3-layer parquet, 2-layer parquet and laminate – EN 15804 data for Green Star and LCA workflows.

04 CERTIFICATION

PEFC chain of custody · Blue Angel · A+ emissions class · formaldehyde ≤ 0.05 ppm (EN 717-1).

05 FIRE & SLIP – AUSTRALIAN DATA

C_{fl}-s1 (EN 13501-1), slip R9/R10 (EN 13893), plus Australian radiant-flux reports (ASTM E648) for the 4000 Series.

06 WARRANTIES

Residential and commercial warranty documents for every range – 30-year residential on the 4000 Series.



From schedule to site.

01 NATSPEC ALIGNMENT

Specify under the timber flooring worksection with: product, article number, format, grade, surface finish, installation method and accessories. We supply selections text on request.

02 SUBSTITUTION DEFENCE

Article-level specification plus the DoP/TDS set makes equal-or-better claims testable — ask for our comparison support on contested tenders.

03 UNDERFLOOR HEATING

Specify bonded installation, surface $\leq 29^{\circ}\text{C}$, thermal resistance $0.113 \text{ m}^2\text{K/W}$ (4000 Series) — full guidance in the installation documents.

04 ACOUSTIC PERFORMANCE

Silent Eco DS underlay: impact sound -18 dB (DIN 140-8). Silent Pro® and ComforTec board-integrated options for apartments.

05 WET & HEAVY-DUTY AREAS

Tritty 200 Aqua (AC6, use class 23/33, swelling $\leq 8\%$) for moisture-prone rooms; commercial warranties for fit-outs.

06 SAMPLES & PROJECT SUPPORT

A3 hand samples, project sample sets and showroom support for client presentations — request through the Australian team.



Compliance summary.

STANDARDS	EN 13489 (multilayer parquet) · EN 13329 (lamine) · EN 13501-1 (fire) · EN 717-1 (formaldehyde)
FIRE	C _{fl} -s1 (parquet & laminate) · D _{fl} -s1 (2500 wall/ceiling use) · Australian ASTM E648 radiant-flux reports (4000 Series)
SLIP	R9 / R10 (EN 13893) — application-specific advice available
EMISSIONS	Formaldehyde ≤ 0.05 ppm · VOC ≤ 300 ppm (AgBB) · A+ · Blue Angel
SUSTAINABILITY	100% PEFC chain of custody · EPDs to EN 15804 · product sustainability passports
ACOUSTICS	Silent Eco DS underlay –18 dB impact (DIN 140-8) · Silent Pro® / ComforTec integrated options
UNDERFLOOR HEATING	0.113 m ² K/W (4000 & 2500) · 0.065 m ² K/W (lamine) · limit 0.15
DURABILITY	Castor chair > 25,000 cycles (EN ISO 4918) · AC4–AC6 laminate abrasion
WARRANTIES	30-yr residential (4000 / manufaktur) · 25-yr (Tritty 100) · 15-yr (2500) · commercial terms per range
DOWNLOADS	All documents: haroflooring.com.au/catalogues · article-specific files on request, typically same day

Data per Hamberger Flooring technical data sheets and test reports. This summary supports preliminary specification; rely on the underlying documents for contract purposes.

HARO

Specify with confidence. We'll
back you up.

ENQUIRIES

sales@haroflooring.com.au

PHONE

+61 473 011 887

ONLINE

haroflooring.com.au



HARO Flooring Australia — exclusive Australian distributor of HARO, made by Hamberger Flooring GmbH & Co. KG, Rosenheim, Germany.
Samples, technical documentation and specification support available on request. Colours are indicative; confirm with physical samples. Issue
2026.07 · © 2026 HARO Flooring Australia.